

What is claimed is:

1. An image reading apparatus comprising:

an image sensing unit for reading two-dimensional
5 partial areas divided a specific region thereinto;

a processor for variously setting a reading sequence
for the reading of a plurality of the partial areas; and

a controller for controlling the image sensing unit
so as to read the plurality of the partial areas in the
10 set reading sequence.

2. The image reading apparatus as claimed in Claim 1,
wherein the plurality of two-dimensional partial areas
aligns in a vertical direction and a horizontal direction
15 as sort of a matrix.

3. The image reading apparatus as claimed in Claim 2,
wherein the image sensing unit reads the plurality of
partial areas sequentially in a horizontal direction or a
20 vertical direction.

4. The image reading apparatus as claimed in Claim 1,
wherein the image sensing unit includes an area sensor
for receiving an optical image and converting the image
25 to image data, and an optical system for directing an

optical image of the partial area of a fixed original in the specific region to the area sensor, and wherein the controller moves the optical system relative to the specific region in accordance with the set reading sequence.

5
10 5. The image reading apparatus as claimed in Claim 1, wherein the processor sets the reading sequence based on the instructions from a connected output device for the output of a read image.

15 6. The image reading apparatus as claimed in Claim 5, wherein the output device is an image forming apparatus for outputting read images on a sheet, and the instructions is related to the orientation of the sheet on which the image to be formed.

20 7. An image reading apparatus comprising:
an image sensing element for receiving an optical image in a two-dimensional section and converting the image to image data;
a mechanism for sequentially directing optical images of a plurality of sections, into which a specific region is divided, to the image sensing element one by one in a predetermined sequence; and

25

a controller for variously controlling the predetermined sequence.

8. The image reading apparatus as claimed in Claim 7,
5 wherein the image sensing unit includes an area sensor.

9. The image reading apparatus as claimed in Claim 7,
further comprising a document table for placing a
document, wherein the specific region corresponds to a
10 document placed on the document table.

10. The image reading apparatus as claimed in Claim
9, wherein the mechanism includes an optical system for
projecting the optical image in the specific region and
15 sequentially directs the optical images by moving the
optical system relative to the image sensing element and
the document table.

11. The image reading apparatus as claimed in Claim
20 7, wherein the mechanism includes an optical system for
projecting the optical image in the specific region and
sequentially directs the optical images by moving the
optical system and the optical system relative to the
document table.

12. An image input/output system comprising:

an input device for inputting a plurality of partial images of a document in a predetermined sequence;

an output device for outputting an entire image of the document by pasting the plurality of partial image each other onto a sheet,

wherein the output device sequentially outputs image from one edge of the sheet to an opposed edge thereof, and the predetermined sequence depends on orientation of the sheet onto which the image to be outputted.

13. The image input/output system as claimed in Claim 12, wherein the input device includes a document table on which a document is placed, and the input device inputs the partial images from above the placed document.

14. The image input/output system as claimed in Claim 12, wherein the previously inputted partial images is sequentially outputted before the input of all of the partial image of the entire document is completed.

15. The image input/output system as claimed in Claim 12, further comprising a operation panel for receiving an instruction, which specify the predetermined sequence from an operator.

16. The image input/output system as claimed in
Claim 15, wherein the output device includes an image
forming portion for forming the inputted images onto the
5 sheets having different orientations.

17. An image input/output system comprising:
an input device for sequentially inputting a
plurality of partial images of a document; and

10 a display having a plurality of pixels arranged in a
matrix for displaying an entire image of the document
constructed by pasting the plurality of partial images
each other,

15 wherein the display sequentially outputs image from
one edge of the matrix to the opposed edge thereof,
wherein a previously inputted image is displayed before
the input of all of the partial images of the entire
document is completed.